

Safety Data Sheet



Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name	• Selenium (<1mm diameter)
Synonyms	• Sélénium (<1 mm de diamètre)
CAS Number	• 7782-49-2
Product Code	• 1590
EC Number	• 231-957-4
EU Index Number	• 034-001-00-2
Molecular Formula	• Se
Molecular Weight	• 78.96

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s)	<ul style="list-style-type: none"> • Industrial uses : Use of substance as such in preparations at industrial sites; Manufacture of basic metals, including alloys; Service life (professional worker): use of metal containing articles. Article service life: Industrial use by workers with abrasive techniques. Industrial use as additive in glass manufacture; Industrial use in the vulcanization of rubber. Industrial use in thin film production by physical vapor deposition. Industrial use of coatings; Used as intermediate in the manufacture of metal compounds
Use(s) advised against	<ul style="list-style-type: none"> • No specific uses advised against are identified

1.3 Details of the supplier of the safety data sheet

Manufacturer	<ul style="list-style-type: none"> • 5N Plus Inc 4385 Garand Street St Laurent, Quebec H4R 2B4 Canada www.5nplus.com MSDS@5nplus.com
Telephone (General)	• (514) 856-0644 ext 2395

1.4 Emergency telephone number

- For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 CCN14093 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

Section 2: Hazards Identification

EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]
According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

- CLP**
- Acute Toxicity Inhalation 3 - H331
 - Acute Toxicity Oral 3 - H301
 - Hazardous to the aquatic environment Chronic 4 - H413
 - Specific Target Organ Toxicity Repeated Exposure 2 - H373
- DSD/DPD**
- Toxic (T)
 - R33, R53, R23/25

2.2 Label Elements

CLP

DANGER



- Hazard statements**
- H373 - May cause damage to organs through prolonged or repeated exposure.
 - H413 - May cause long lasting harmful effects to aquatic life
 - H301+H331 - Toxic if swallowed or if inhaled

Precautionary statements

- Prevention**
- P273 - Avoid release to the environment.
 - P260 - Do not breathe dust, fume, gas, mist, vapours and/or spray.
 - P270 - Do not eat, drink or smoke when using this product.
 - P271 - Use only outdoors or in a well-ventilated area.
 - P264 - Wash thoroughly after handling.
- Response**
- P314 - Get medical advice/attention if you feel unwell.
 - P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 - P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- Storage/Disposal**
- P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
 - P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
 - P405 - Store locked up.

DSD/DPD



- Risk phrases**
- R33 - Danger of cumulative effects.
 - R53 - May cause long-term adverse effects in the aquatic environment.
 - R23/25 - Toxic by inhalation and if swallowed.
- Safety phrases**
- S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
 - S37 - Wear suitable gloves.

2.3 Other Hazards

- CLP**
- The PBT and vPvB criteria of Annex XIII to the regulation (EC) 1907/2006 does not apply to inorganic substances.
- DSD/DPD**
- None

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012

- Acute Toxicity Inhalation 3 - H331
- Acute Toxicity Oral 3 - H301
- Specific Target Organ Toxicity Repeated Exposure 2 - H373

2.2 Label elements

OSHA HCS 2012

DANGER



- Hazard statements**
- May cause damage to organs through prolonged or repeated exposure. - H373
 - May cause long lasting harmful effects to aquatic life - H413
 - Toxic if inhaled - H331
 - Toxic if swallowed - H301

Precautionary statements

- Prevention**
- Avoid release to the environment. - P273
 - Do not breathe dust, fume, gas, mist, vapours and/or spray. - P260
 - Do not eat, drink or smoke when using this product. - P270
 - Use only outdoors or in a well-ventilated area. - P271
 - Wash thoroughly after handling. - P264
- Response**
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. - P304+P340
 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. - P301+P310
- Storage/Disposal**
- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501
 - Store in a well-ventilated place. Keep container tightly closed. - P403+P233
 - Store locked up. - P405

2.3 Other hazards

OSHA HCS 2012

- None

Canada

According to WHMIS

2.1 Classification of the substance or mixture

WHMIS

- Not classified

2.2 Label elements

WHMIS

- No label element(s) required.

2.3 Other hazards

WHMIS

- In Canada, the product mentioned above is not considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

Section 3 - Composition/Information on Ingredients

3.1 Substances

Composition			
Chemical Name	Identifiers	%	Classifications According to Regulation/Directive
Selenium	CAS:7782-49-2 EC Number:231-957-4 REACH:01-2119981706-25 EU Index:034-001-00-2	>= 99.9%	WHMIS: EU DSD/DPD: R23/25; R33; R53; Toxic(T) EU CLP: Acute Tox. Inhal. 3; Acute Tox. Oral 3; Aquatic Chronic 4; STOT RE 2 OSHA HCS 2012: Acute Tox. Inhal. 3; Acute Tox. Oral 3; STOT RE 2

3.2 Mixtures

- Material does not meet the criteria of a mixture.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Skin

- IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Eye

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

- Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician

- No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

4.4 Other information

- CAUTION ! First aid personnel must be aware of own risk during rescue !

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media

- Sand.
Metal fire Powders.

Unsuitable Extinguishing Media

- DO NOT use water if avoidable.

Firefighting Procedures

- Confining and smothering metal fires is preferable rather than applying water. Corrosive substances in contact with metals may produce flammable hydrogen gas.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

- Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Hazardous Combustion Products

- Fire or high temperature may create : Toxic gases/vapours/fumes of metal oxides or oxides.

5.3 Advice for firefighters

- Do not allow to enter drains, sewers or watercourses.
Dike and collect extinguishing water.

Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

- Warn everybody of potential hazards and evacuate if necessary. Avoid breathing vapors, dust, or spray mist. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet.

Emergency Procedures

- Avoid generation and spreading dust. Do not allow to enter drains, sewers or watercourses.

6.2 Environmental precautions

- Avoid discharge into drains, water courses or onto the ground. Dike and collect extinguishing water. Avoid generation and spreading dust.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

- Allow product to cool/solidify and pick up as a solid. Avoid generating dust. Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into closed container. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. For waste disposal, see section 13.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

- Avoid handling which leads to dust formation. Avoid inhalation of dust and contact with skin and eyes. Avoid excessive heat for prolonged period of time. Do not handle broken packages without protective equipment. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Change work clothing daily before leaving the work place. Wash contaminated clothing before reuse. Provide eye wash fountain in work area. have emergency shower available.

7.2 Conditions for safe storage, including any incompatibilities

Storage

- Store in a cool, dry, well-ventilated place. Keep at a temperature not exceeding 30°C.

Incompatible Materials or Ignition Sources

- Do not store together with foodstuffs. Keep away from reducing agents such as zinc, alkali metals, and formic acid.

7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines						
	Result	ACGIH	Austria	Belgium	Canada Ontario	Canada Quebec
	MAKs	Not established	0.1 mg/m ³ TWA [TMW] (inhalable fraction)	Not established	Not established	Not established

Selenium (7782-49-2)	STELs	Not established	0.3 mg/m ³ STEL [KZW] (inhalable fraction, 4 X 15 min)	Not established	Not established	Not established
	TWAs	0.2 mg/m ³ TWA	Not established	0.2 mg/m ³ TWA	0.2 mg/m ³ TWA	0.2 mg/m ³ TWAEV

Exposure Limits/Guidelines (Con't.)

	Result	China	Denmark	Finland	Germany DFG	Germany TRGS
Selenium (7782-49-2)	STELs	0.3 mg/m ³ STEL	Not established	0.3 mg/m ³ STEL	Not established	Not established
	TWAs	0.1 mg/m ³ TWA	0.1 mg/m ³ TWA	0.1 mg/m ³ TWA	Not established	0.05 mg/m ³ TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, inhalable fraction, exposure factor 1)
	Ceilings	Not established	Not established	Not established	0.16 mg/m ³ Peak (inhalable fraction)	Not established
	MAKs	Not established	Not established	Not established	0.02 mg/m ³ TWA MAK (inhalable fraction)	Not established

Exposure Limits/Guidelines (Con't.)

	Result	Ireland	Malaysia	Manufacturer	NIOSH	Poland
Selenium (<1mm diameter) (7782-49-2)	TWAs	0.1 mg/m ³ TWA	0.2 mg/m ³ TWA	Not established	0.2 mg/m ³ TWA	0.1 mg/m ³ TWA [NDS]
	STELs	Not established	Not established	Not established	Not established	0.3 mg/m ³ STEL [NDSch]
	DNEL	Not established	Not established	7 mg/kg DNEL , Workers; hazard via dermal route: systemic effects; long term; mg/kg bw/day .05 mg/m ³ DNEL , Workers; hazard via inhalation route: systemic effects; long term .0043 mg/kg DNEL , General population; hazard via oral route: systemic effects; long term; mg/kg bw/day 4.3 mg/kg DNEL , General population; hazard via dermal route: systemic effects; long term; mg/kg bw/day .015 mg/m ³ DNEL , General population; hazard via inhalation route: systemic effects; long term	Not established	Not established
				2.67 µg/L PNEC , Aqua (freshwater)		

	PNEC	Not established	Not established	2 µg/L PNEC , Aqua (marinewater) 5.5 µg/L PNEC , Aqua (intermittent releases) 8.2 mg/kg PNEC , Sediment (freshwater); mg/kg sediment dw 6.2 mg/kg PNEC , Sediment (marinewater); mg/kg sediment dw .1 mg/kg PNEC , Soil; mg/kg soil dw 1500 µg/L PNEC , STP	Not established	Not established
--	------	-----------------	-----------------	--	-----------------	-----------------

Exposure Limits/Guidelines (Con't.)

	Result	Portugal	Russia	Spain	Sweden	Switzerland
Selenium (7782-49-2)	MAKs	Not established	Not established	Not established	Not established	0.02 mg/m3 TWA [MAK] (inhalable)
	STELs	Not established	Not established	Not established	Not established	0.16 mg/m3 STEL [KZW] (inhalable, 4 X 15)
	TWAs	0.2 mg/m3 TWA [VLE-MP]	2 mg/m3 TWA (aerosol)	0.1 mg/m3 TWA [VLA-ED]	0.1 mg/m3 LLV (total dust)	Not established

Exposure Limits/Guidelines (Con't.)

	Result	United Kingdom
Selenium (7782-49-2)	STELs	0.3 mg/m3 STEL (calculated)
	TWAs	0.1 mg/m3 TWA

Exposure Control Notations**Switzerland**

•Selenium (7782-49-2): **Developmental Risk Groups:** (Developmental Risk Group C) | **Skin:** (skin notation)

Germany DFG

•Selenium (7782-49-2): **Carcinogens:** (Category 3B (could be carcinogenic for man)) | **Pregnancy:** (no risk to embryo/fetus if exposure limits adhered to) | **Skin:** (skin notation)

Exposure Limits Supplemental**Switzerland**

•Selenium (7782-49-2): **Biological Limit Values:** (150 µg/L Medium: serum Time: no restrictions Parameter: Selenium)

Spain

•Selenium (7782-49-2): **Under Review:** (0.2 mg/m3 VLA-ED)

ACGIH

•Selenium (7782-49-2): **TLV Basis - Critical Effects:** (eye and upper respiratory tract irritation)

8.2 Exposure controls**Engineering Measures/Controls**

- Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values. Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is not leakage from the equipment).

Personal Protective Equipment

Pictograms**Respiratory**

- In case of insufficient ventilation, wear suitable respiratory equipment. Recommended: FP3.

Eye/Face

- Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If operating conditions cause high dust concentrations to be produced, use dust goggles. Recommended ; safety glasses with side-shields.

Hands

- Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Appropriate material: neoprene.

Skin/Body

- Wear suitable protective clothing as protection against splashing or contamination. Recommended: Acid-resistant protective clothing.

Thermal hazards

- The molten product can causes serious burns.

General Industrial Hygiene Considerations

- Handle in accordance with good industrial hygiene and safety practice. When using do not smoke or eat. Wash hands before eating, drinking, or smoking. Change work clothing daily before leaving work place. Wash contaminated clothing before reuse.

Environmental Exposure Controls

- Avoid release to the environment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 9 - Physical and Chemical Properties**9.1 Information on Physical and Chemical Properties**

Material Description			
Physical Form	Solid	Appearance/Description	Powder, dust.
Color	Grey	Odor	Odorless
Organic/Inorganic	Inorganic		
General Properties			
Boiling Point	685 C(1265 F)	Melting Point	220.8 C(429.44 F) @ 1013.25hPa
Specific Gravity/Relative Density	4.809 Water=1	Water Solubility	Insoluble 0.0038 mg/L @ 21.2 C (70.16 F)
Explosive Properties	Classification criteria not met.	Oxidizing Properties:	Classification criteria not met.
Volatility			
Vapor Pressure	0.0013 hPa @ 20 C(68 F)		
Flammability			
Autoignition	> 400 C(> 752 F) Product is not self-igniting (EC A.16)	Flammability (solid, gas)	Classification criteria not met.
Environmental			
Bioconcentration Factor	944		

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity**10.1 Reactivity**

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

- Not relevant.

10.4 Conditions to avoid

- Excess heat.

10.5 Incompatible materials

- Strong acids, strong reducing agents.

10.6 Hazardous decomposition products

- No hazardous decomposition products known.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Selenium (<1mm diameter) 7782-49-2								
Test Type	Dosage	Route	Species	Duration	Results	Test Class	Target Organs	Comments
Acute Toxicity	= 5000 mg/kg	Ingestion/Oral	Rat	NDA	LDLo	NDA	NDA	NDA
Acute Toxicity	= 5.67 mg/L	Inhalation	Rat	4 Hour(s)	LCLo	NDA	NDA	NDA
GHS Properties				Classification				
Acute toxicity				EU/CLP • Acute Toxicity - Inhalation 3; Acute Toxicity - Oral 3 OSHA HCS 2012 • Acute Toxicity - Inhalation 3; Acute Toxicity - Oral 3				
Aspiration Hazard				EU/CLP • Data lacking OSHA HCS 2012 • Data lacking				
Carcinogenicity				EU/CLP • Data lacking OSHA HCS 2012 • Data lacking				
Germ Cell Mutagenicity				EU/CLP • Data lacking OSHA HCS 2012 • Data lacking				
Skin corrosion/Irritation				EU/CLP • Data lacking OSHA HCS 2012 • Data lacking				
Skin sensitization				EU/CLP • Data lacking OSHA HCS 2012 • Data lacking				
STOT-RE				EU/CLP • Specific Target Organ Toxicity Repeated Exposure 2 OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 2				
STOT-SE				EU/CLP • Data lacking OSHA HCS 2012 • Data lacking				
Toxicity for Reproduction				EU/CLP • Data lacking OSHA HCS 2012 • Data lacking				
Respiratory sensitization				EU/CLP • Data lacking OSHA HCS 2012 • Data lacking				
Serious eye damage/Irritation				EU/CLP • Data lacking OSHA HCS 2012 • Data lacking				

Potential Health Effects

Inhalation

Acute (Immediate)

- Exposure to dust may cause irritation. May cause coughing and difficulties in breathing. Vapours may cause headache, fatigue, dizziness and nausea.

Chronic (Delayed)

- Repeated and prolonged exposure may affect the lungs and respiratory system.

Skin

Acute (Immediate)

- No specific symptoms noted. The molten product can cause serious burns. Exposure to dust may cause mechanical irritation.

Chronic (Delayed)

- Under normal conditions of use, no health effects are expected. Repeated and prolonged exposure may cause redness and irritation.

Eye

Acute (Immediate)

- No specific symptoms noted. Excessive concentrations of nuisance dust in the workplace may reduce visibility and may cause unpleasant deposits in eyes. Adverse symptoms may include the following : irritation, watering, redness.

Chronic (Delayed)

- Under normal conditions of use, no health effects are expected. Repeated or prolonged exposure to corrosive materials or fumes may cause conjunctivitis.

Ingestion

Acute (Immediate)

- Metallic taste. May cause stomach pain or vomiting.

Chronic (Delayed)

- Under normal conditions of use, no health effects are expected. Repeated or prolonged exposure to corrosive materials or fumes may cause gastrointestinal disturbances.

Section 12 - Ecological Information

12.1 Toxicity

Selenium (<1mm diameter)			7782-49-2		
Dosage	Species	Duration	Results	Exposure Conditions	Comments
> 100 mg/L	Fish: oncorhynchus mykiss	96 Hour (s)	LC50	semi-static; Hardness 1.1 mmol/l; Temperature 14.5-14.9°C; pH 8.1-8.6	NDA
>= 10 mg/L	Fish: oncorhynchus mykiss	28 Day(s)	NOEC	semi-static; Hardness 12-13 mmol/l; Temperature 14.5-15.3°C; pH 7.6-8.6	NDA
> 100 mg/L	Crustacea: Daphnia magna	48 Hour (s)	EC50	static; freshwater; Hardness 1.1mmol/l; Temperature 20.6-20.3°C; pH 7.76-8.24	nominal
>= 100 mg/L	Crustacea: Daphnia magna	21 Day(s)	NOEC	semi-static; Hardness 1.1 mmol/l; Temperature 19.9-21.1°C; pH 7.63-9.44	nominal
> 1.73 µg/L	Aquatic Plant(s): pseudokirchnerella subcapitata	72 Hour (s)	EC50	static; freshwater; Temperature 20.5°C; pH 8.27-7.88	µg Selenium/l (growth rate)

- The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2 Persistence and degradability

- The products solely consists of inorganic compounds which are not biodegradable.

12.3 Bioaccumulative potential

- Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

12.4 Mobility in Soil

- Not considered mobile but soluble compounds may be produced by acidic conditions.

12.5 Results of PBT and vPvB assessment

- The PBT and vPvB criteria of Annex XIII to regulation (EC) 1907/2006 does not apply to

inorganic substances.

12.6 Other adverse effects

- No studies have been found.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

- Recover, reclaim or recycle if practical. Refer to manufacturer/supplier for information on recovery/recycling.

Packaging waste

- Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of in agreement with regional waste disposal company.

13.2 Other Information

- When handling waste, consideration should be made to the safety precautions applied to handling of this product.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	NDA	NDA	NDA	NDA
TDG	NDA	NDA	NDA	NDA	NDA
IMO/IMDG	NDA	NDA	NDA	NDA	NDA
ADR/RID	NDA	NDA	NDA	NDA	NDA
IATA/ICAO	NDA	NDA	NDA	NDA	NDA

14.6 Special precautions for user

- No special precautions.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- Not relevant.

14.8 Other information

- The product is not covered by international regulations on the transport of dangerous goods.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • No data available

State Right To Know				
Component	CAS	MA	NJ	PA
Selenium	7782-49-2	Yes	Yes	Yes

Inventory						
Component	CAS	Australia AICS	Canada DSL	China	EU EINECS	Korea KECL
Selenium	7782-49-2	Yes	Yes	Yes	Yes	Yes

Inventory (Con't.)		
Component	CAS	TSCA
Selenium	7782-49-2	Yes

Australia

Labor

Australia - List of Designated Hazardous Substances - Classification

• Selenium	7782-49-2	T R23/25, R33, R53
------------	-----------	--------------------

Environment

Australia - National Pollutant Inventory (NPI) Substance List

• Selenium	7782-49-2	10 tonne/yr Threshold category 1 (Selenium and compounds)
------------	-----------	---

Canada

Labor

Canada - WHMIS - Classifications of Substances

• Selenium	7782-49-2	Uncontrolled product according to WHMIS classification criteria (including amorphous and crystalline)
------------	-----------	---

Canada - WHMIS - Ingredient Disclosure List

• Selenium	7782-49-2	0.1 %
------------	-----------	-------

Europe

Other

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification

• Selenium	7782-49-2	T; R23/25 R33 R53
------------	-----------	-------------------

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling

• Selenium	7782-49-2	T R:23/25-33-53 S:(1/2)-20/21-28-45-61
------------	-----------	--

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases

• Selenium	7782-49-2	S:(1/2)-20/21-28-45-61
------------	-----------	------------------------

Germany

Environment

Germany - TA Luft - Types and Classes

• Selenium	7782-49-2	inorganic dust Substance: 5.2.2, Class II
------------	-----------	---

Germany - TA Luft - Emission Limits for Inorganic Dusts

• Selenium	7782-49-2	2.5 g/h Mass flow (Class II); 0.5 mg/m3 Mass concentration (Class II)
------------	-----------	--

Germany - Water Classification (VwVwS) - Annex 3

• Selenium	7782-49-2	ID Number 2751, hazard class 2 - hazard to waters
------------	-----------	---

Malaysia

Labor

Malaysia - Occupational Safety & Health - Risk Phrases

• Selenium 7782-49-2 R-23/25, R-33

Malaysia - Occupational Safety & Health - Safety Phrases

• Selenium 7782-49-2 S-20/21, S-28, S-44

Malaysia - Occupational Safety & Health Conc. Cut-Offs for Harmful Category

• Selenium 7782-49-2 3.0 % (ingredient to be classified with R20 instead of R23 and/or R21 instead of R24 and/or R22 instead of R25)

Malaysia - Occupational Safety & Health Conc. Cut-Offs for Toxic Category

• Selenium 7782-49-2 25.0 % (above this concentration ingredient to be classified with R23 and/or R24 and/or R25)

Environment

Malaysia - Environmental Quality (Industrial Effluent) Regulations - Fifth and Eighth Schedules

• Selenium 7782-49-2 0.02 mg/L Standard A; 0.5 mg/L Standard B

United Kingdom

Environment

United Kingdom - Pollution Inventory - Schedule 1 - Thresholds for Releases to Air

• Selenium 7782-49-2 100 kg

United States

Environment

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Selenium 7782-49-2 100 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm); 45.4 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm)

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Selenium 7782-49-2 1.0 % de minimis concentration

U.S. - RCRA (Resource Conservation & Recovery Act) - Basis for Listing - Appendix VII

• Selenium 7782-49-2 Included in waste stream: F039

U.S. - RCRA (Resource Conservation & Recovery Act) - Constituents for Detection Monitoring

• Selenium 7782-49-2 (total)

U.S. - RCRA (Resource Conservation & Recovery Act) - D Series Wastes - Max Conc of Contaminants for the Tox Characteristic

- Selenium 7782-49-2 1.0 mg/L regulatory level

U.S. - RCRA (Resource Conservation & Recovery Act) - Hazardous Constituents - Appendix VIII to 40 CFR 261

- Selenium 7782-49-2 hazardous constituent - no waste number

U.S. - RCRA (Resource Conservation & Recovery Act) - List for Hazardous Constituents

- Selenium 7782-49-2 (total)

U.S. - RCRA (Resource Conservation & Recovery Act) - Phase 4 LDR Rule - Universal Treatment Standards

- Selenium 7782-49-2 0.82 mg/L (wastewater); 5.7 mg/L TCLP (nonwastewater)

U.S. - RCRA (Resource Conservation & Recovery Act) - TSD Facilities Ground Water Monitoring

- Selenium 7782-49-2 (total)

United States - Pennsylvania**Labor****U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List**

- Selenium 7782-49-2

15.2 Chemical Safety Assessment

- A chemical safety assessment has been carried out for this product.

Section 16 - Other Information**Revision Summary**

Date	MSDS No.	Changes
03/March/2014		<ul style="list-style-type: none"> Section 1 changed. Addition of further uses. Section 2 changed. Updated label elements. Section 4 changed. Added further information. Section 5 changed. Updated suitable extinguishing media. Section 7 changed. Added further information. Section 8 changed. Added recommendations to hand protection, respiratory protection, and skin/body protection. Section 9 changed. Added bioconcentration factor. Edited melting point, water solubility and vapor pressure to be consistent with information submitted under Regulation (EC) 1907/2006. Section 10 changed. Updated information to be consistent with information submitted under Regulation (EC) 1907/2006. Section 13 changed. Updated information for waste packaging.

Classification method for mixtures

- Calculation method.

Training advice

- Chemical hazard awareness training, incorporating labelling, safety data sheets, personal protective equipment and good hygiene measures. Chemical incident response training. First aid for chemical exposure including use of eye wash and safety showers. Use of personal protective equipment, including selection, compatibility, maintenance, standards and fit.

Last Revision Date

- 18/February/2014

Preparation Date

- 04/February/2014

Other Information

- Information Sources : US-EPA Ecotox databases Hazardous Substance Data Bank

Disclaimer/Statement of Liability

(HSDB®) eChemPortal Handbook of chemistry and Physics 91st Edition, W.M. Haynes NIOSH RTECS ® databases (Registry of Toxic Effects of Chemical Substances) European Chemicals Agency (ECHA) databases.

- This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.
-